



## ADVANTAGE

**204BV-01 S3 CI HI HRO SRC**

Standard EN ISO 20345:2011

Sizes 38-48

Thinsulate® B200 lining with high thermal insulation: light and soft material that keeps the foot warm in extreme climatic conditions

Reflective inserts

Two-component ICON PU-RUBBER VIBRAM® sole, guarantees maximum grip and stability on difficult uneven grounds. Slip-resistance sole tested to the SATRA laboratories on metal grating and wooden scaffold boards.



SATRA  
TECHNOLOGY

### ICON PU-RUBBER VIBRAM®

- Outsole in Rubber Vibram® HRO
- Designed for the use with crampons
- High slip resistance
- Wide, profiled, slip-resistant waist area



Zip with gusset



Full grain Idrotech leather with high resistance to penetration and water absorption

PZX fiberglass toe cap and anti-puncture Txzero textile insert for extreme lightness, protection and flexibility.



Esolight 1.0 polyurethane midsole with reinforced Over cap. The low-density micro-cell polyurethane increase energy absorption ensuring comfort and lightness.

### T-01

- Anatomic insole for more comfort
- Supporting PU foam = Dissipation and Energy Return
- Fully lined with conductive micro-perforated fabric to reduce foam wearing

	SRC Slip resistance
	A Antistatic
	P Perforation resistance
	Resistant to an impact of 200 Joules and compression of 15Kn
	E Energy absorption at the heel part
	FO Fuel oil resistance sole
	WRU Water penetration resistant upper
	HI Heat insulation of the sole
	CI Cold insulation of the sole
	HRO Heat resistant outsole