













TYPHOON

938I-011 S3 CI HI HRO SRC

Standard EN ISO 20345:2011

Sizes 38-47



-  SRC Slip resistance
-  A Antistatic
-  P Perforation resistance
-  Resistant to an impact of 200 Joules and compression of 15Kn
-  E Energy absorption at the heel part
-  FO Fuel oil resistance sole
-  WRU Water penetration resistant upper
-  HI Heat insulation of the sole
-  CI Cold insulation of the sole
-  HRO Heat resistant outsole

Reflective material.

High thermal insulating lining made of lambswool and WINTHERM®. This breathable fabric is characterized by an aluminum microfilm that allows to maintain heat in winter footwear even at very low temperatures.

The two-component HYBRID PU-RUBBER ICE GRIP ensure good flexibility and comfort at low temperatures. The sole has been tested in the SATRA laboratories on metal grating and wooden scaffold boards.

Full grain Idrotech leather with high water resistance properties.

Stability, protection and durability thanks to TPU protective element applied in the front and heel area.

The ICE GRIP technology sole is realized with fibers in the rubber compound that allow to drain and absorb liquids on icy surfaces, so to guarantee excellent slip resistance.



HYBRID PU-RUBBER ICE GRIP

- Rubber Outsole HRO
- Self-cleaning cleated sole to ensure maximum adherence to the ground
- Flexibility and comfort at low temperatures
- Excellent slip resistance

COMPO200 polymeric toe cap anti-puncture
Txzero textile insert for extreme lightness, protection and flexibility.



H-02

- Warm lambswool
- Latex layer with cushioning effect
- Anti-slip layer for maximum adhesion to the upper material