



BEST SELLERS 2025-01

**BEYOND
THE
EDGE**

PEZZOL

BEYOND THE EDGE

KAYAK CH 50

326R-004 S3S SC FO SR ESD



TOMAIA - Pelle fiore Supremoil + elemento di protezione in TPU + DNX System
FODERA - Spyder-Net
SUOLA - REBOUND bicomponente PU/TPU
PUNTALE - Alu200
ANTIPERFORAZIONE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022 + DGVU 112-191
SOLETTO - B-01
TAGLIE - 36-48



UPPER - Supremoil leather + TPU protective element + DNX System
LINING - Spyder-Net
SOLE - REBOUND bicomponent PU/TPU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022 + DGVU 112-191
INSOLE - B-01
SIZE - 36-48



TIGE - Cuir pleine fleur Supremoil + élément de protection en TPU + DNX System
DOUBLURE - Spyder-Net
SEMELLE - REBOUND bi-composant PU/TPU
EMBOUIT - Alu200
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022 + DGVU 112-191
SEMELLES DE PROPRETÉ - B-01
POINTURES - 36-48



EMPEINE - Piel flor Supremoil + elemento de protección de TPU + DNX System
FORRO - Spyder-Net
SUELA - REBOUND doble componentes PU/TPU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO STRONG
ESTÁNDAR - EN ISO 20345:2022 + DGVU 112-191
PLANTILLA - B-01
TALLAS - 36-48



OBERMATERIAL - Wasserabweisendes Supremoil Leder + TPU-Schutzelemente + DNX System
INNENFUTTER - Spyder-Net
SOHLE - REBOUND bi-composant PU/TPU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022 + DGVU 112-191
EINLEGESOHLE - B-01
GRÖßEN - 36-48

OCEANUS CH 50

317-006 S3S SC FO SR ESD



TOMAIA - Pelle fiore Supremoil + elemento di protezione in TPU + DNX System
FODERA - Spyder-Net
SUOLA - REBOUND bicomponente PU/TPU
PUNTALE - Alu200
ANTIPERFORAZIONE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022 + DGVU 112-191
SOLETTO - B-01
TAGLIE - 36-48



UPPER - Supremoil leather + TPU protective element + DNX System
LINING - Spyder-Net
SOLE - REBOUND bicomponent PU/TPU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022 + DGVU 112-191
INSOLE - B-01
SIZE - 36-48



TIGE - Cuir pleine fleur Supremoil + élément de protection en TPU + DNX System
DOUBLURE - Spyder-Net
SEMELLE - REBOUND bi-composant PU/TPU
EMBOUIT - Alu200
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022 + DGVU 112-191
SEMELLES DE PROPRETÉ - B-01
POINTURES - 36-48



EMPEINE - Piel flor Supremoil + elemento de protección de TPU + DNX System
FORRO - Spyder-Net
SUELA - REBOUND doble componentes PU/TPU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO STRONG
ESTÁNDAR - EN ISO 20345:2022 + DGVU 112-191
PLANTILLA - B-01
TALLAS - 36-48



OBERMATERIAL - Wasserabweisendes Supremoil Leder + TPU-Schutzelemente + DNX System
INNENFUTTER - Spyder-Net
SOHLE - REBOUND bi-composant PU/TPU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022 + DGVU 112-191
EINLEGESOHLE - B-01
GRÖßEN - 36-48

JUMP XS 40

317R-016 S1PS SC FO SR ESD



TOMAIA - Pelle scamosciata Velourtech + elemento di protezione in TPU + DNX System

FODERA - Spyder-Net

SUOLA - REBOUND bicomponente PU/TPU

PUNTALE - Alu200

ANTIPERFORAZIONE - TX ZERO STRONG

STANDARD - EN ISO 20345:2022 + DGUV 112-191

SOLETTO - B-01

TAGLIE - 36-48



UPPER - Velourtech suede leather + TPU protective element + DNX System

LINING - Spyder-Net

SOLE - REBOUND bicomponent PU/TPU

TOECAP - Alu200

ANTI-PUNCTURE - TX ZERO STRONG

STANDARD - EN ISO 20345:2022 + DGUV 112-191

INSOLE - B-01

SIZE - 36-48



TIGE - Velourtech cuir suédé + élément de protection en TPU + DNX System

DOUBLURE - Spyder-Net

SEMELLE - REBOUND bicomposant PU/TPU

EMBOUIT - Alu200

ANTIPERFORATION - TX ZERO STRONG

NORME - EN ISO 20345:2022 + DGUV 112-191

SEMELLES DE PROPRETÉ - B-01

POINTURES - 36-48



EMPEINE - Cuero gamuza Velourtech + elemento de protección de TPU + DNX System

FORRO - Spyder-Net

SUELA - REBOUND doble componentes PU/TPU

PUNTERA - Alu200

ANTIPERFORACIÓN - TX ZERO STRONG

ESTÁNDAR - EN ISO 20345:2022 + DGUV 112-191

PLANTILLA - B-01

TALLAS - 36-48



OBERMATERIAL - Velourtech-Veloursleder + TPUSchutzelemente + DNX System

INNENFUTTER - Spyder-Net

SOHLE - REBOUND bicomposant PU/TPU

SCHUTZKAPPE - Alu200

DURCHTRITTSCHUTZ - TX ZERO STRONG

NORM - EN ISO 20345:2022 + DGUV 112-191

EINLEGESOHLE - B-01

GRÖßEN - 36-48

AMAZONAS PK 170

326R-012 S3S SC CI FO SR ESD



TOMAIA - PU Tek + elemento di protezione in TPU + DNX System

FODERA - Spyder-Net

SUOLA - REBOUND bicomponente PU/TPU

PUNTALE - Alu200

ANTIPERFORAZIONE - TX ZERO STRONG

STANDARD - EN ISO 20345:2022 + DGUV 112-191

SOLETTO - B-01

TAGLIE - 36-48



UPPER - PU Tek + TPU protective element + DNX System

LINING - Spyder-Net

SOLE - REBOUND bicomponent PU/TPU

TOECAP - Alu200

ANTI-PUNCTURE - TX ZERO STRONG

STANDARD - EN ISO 20345:2022 + DGUV 112-191

INSOLE - B-01

SIZE - 36-48



TIGE - PU Tek + élément de protection en TPU + DNX System

DOUBLURE - Spyder-Net

SEMELLE - REBOUND bicomposant PU/TPU

EMBOUIT - Alu200

ANTIPERFORATION - TX ZERO STRONG

NORME - EN ISO 20345:2022 + DGUV 112-191

SEMELLES DE PROPRETÉ - B-01

POINTURES - 36-48



EMPEINE - PU Tek + elemento de protección de TPU + DNX System

FORRO - Spyder-Net

SUELA - REBOUND doble componentes PU/TPU

PUNTERA - Alu200

ANTIPERFORACIÓN - TX ZERO STRONG

ESTÁNDAR - EN ISO 20345:2022 + DGUV 112-191

PLANTILLA - B-01

TALLAS - 36-48



OBERMATERIAL - PU Tek + TPU Schutzelemente + DNX System

INNENFUTTER - Spyder-Net

SOHLE - REBOUND bicomposant PU/TPU

SCHUTZKAPPE - Alu200

DURCHTRITTSCHUTZ - TX ZERO STRONG

NORM - EN ISO 20345:2022 + DGUV 112-191

EINLEGESOHLE - B-01

GRÖßEN - 36-48

BORNEO PK 170

317R-021 S3S SC CI FO SR ESD



TOMAIA - PU Tek + elemento di protezione in TPU + DNX System
FODERA - Spyder-Net
SUOLA - REBOUND bicomponente PU/TPU
PUNTALE - Alu200
ANTIPERFORAZIONE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022 + DGUV 112-191
SOLETTO - B-01
TAGLIE - 36-48



UPPER - PU Tek + TPU protective element + DNX System
LINING - Spyder-Net
SOLE - REBOUND bicomponent PU/TPU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022 + DGUV 112-191
INSOLE - B-01
SIZE - 36-48



TIGE - PU Tek + élément de protection en TPU + DNX System
DOUBLURE - Spyder-Net
SEMELLE - REBOUND bicomposant PU/TPU
EMBOUT - Alu200
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022 + DGUV 112-191
SEMELLES DE PROPRETÉ - B-01
POINTURES - 36-48



EMPEINE - PU Tek + elemento de protección de TPU + DNX System
FORRO - Spyder-Net
SUELA - REBOUND doble componentes PU/TPU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO STRONG
ESTÁNDAR - EN ISO 20345:2022 + DGUV 112-191
PLANTILLA - B-01
TALLAS - 36-48



OBERMATERIAL - PU Tek + TPU Schutzelemente + DNX System
INNENFUTTER - Spyder-Net
SOHLE - REBOUND bicomposant PU/TPU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022 + DGUV 112-191
EINLEGESOHLE - B-01
GRÖßEN - 36-48

SUPERNOVA GTS 170

316R-011 S1PS SC FO SR ESD



TOMAIA - Tessuto traspirante + elemento di protezione in TPU
FODERA - Spyder-Net
SUOLA - REBOUND bicomponente PU/TPU
PUNTALE - Alu200
ANTIPERFORAZIONE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022 + DGUV 112-191
SOLETTO - B-01
TAGLIE - 36-48



UPPER - Breathable fabric + TPU protective element
LINING - Spyder-Net
SOLE - REBOUND bicomponent PU/TPU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022 + DGUV 112-191
INSOLE - B-01
SIZE - 36-48



TIGE - Tissu respirant + élément de protection en TPU
DOUBLURE - Spyder-Net
SEMELLE - REBOUND bicomposant PU/TPU
EMBOUT - Alu200
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022 + DGUV 112-191
SEMELLES DE PROPRETÉ - B-01
POINTURES - 36-48




EMPEINE - Tejido transpirable + elemento de protección de TPU
FORRO - Spyder-Net
SUELA - REBOUND doble componentes PU/TPU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO STRONG
ESTÁNDAR - EN ISO 20345:2022 + DGUV 112-191
PLANTILLA - B-01
TALLAS - 36-48



OBERMATERIAL - PU Tek + TPU Schutzelemente + DNX System
INNENFUTTER - Spyder-Net
SOHLE - REBOUND bicomposant PU/TPU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022 + DGUV 112-191
EINLEGESOHLE - B-01
GRÖßEN - 36-48

KAYAK CH 150

326R-011 S3S SC CI FO SR ESD



TOMAIA - Pelle fiore Supremoil + elemento di protezione in TPU + DNX System
FODERA - Spyder-Net
SUOLA - REBOUND bicomponente PU/TPU
PUNTALE - Alu200
ANTIPERFORAZIONE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022 + DGUV 112-191
SOLETTO - B-01
TAGLIE - 36-48



UPPER - Supremoil leather + TPU protective element + DNX System
LINING - Spyder-Net
SOLE - REBOUND bicomponent PU/TPU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022 + DGUV 112-191
INSOLE - B-01
SIZE - 36-48



TIGE - Cuir pleine fleur Supremoil + élément de protection en TPU + DNX System
DOUBLURE - Spyder-Net
SEMELLE - REBOUND bicomposant PU/TPU
EMBOUIT - Alu200
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022 + DGUV 112-191
SEMELLES DE PROPRETÉ - B-01
POINTURES - 36-48



EMPEINE - Piel flor Supremoil + BOA® Fit System + elemento de protección en TPU + DNX System
FORRO - Spyder-Net
SUELA - REBOUND doble componentes PU/TPU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO STRONG
ESTÁNDAR - EN ISO 20345:2022 + DGUV 112-191
PLANTILLA - B-01
TALLAS - 36-48



OBERMATERIAL - Wasserabweisendes Supremoil Leder + TPU-Schutzelemente + DNX System
INNENFUTTER - Spyder-Net
SOHLE - REBOUND bicomposant PU/TPU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022 + DGUV 112-191
EINLEGESOHLE - B-01
GRÖßEN - 36-48

OCEANUS CH 150

317R-019 S3S SC CI FO SR ESD



TOMAIA - Pelle fiore Supremoil + elemento di protezione in TPU + DNX System
FODERA - Spyder-Net
SUOLA - REBOUND bicomponente PU/TPU
PUNTALE - Alu200
ANTIPERFORAZIONE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022 + DGUV 112-191
SOLETTO - B-01
TAGLIE - 36-48



UPPER - Supremoil leather + TPU protective element + DNX System
LINING - Spyder-Net
SOLE - REBOUND bicomponent PU/TPU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022 + DGUV 112-191
INSOLE - B-01
SIZE - 36-48



TIGE - Cuir pleine fleur Supremoil + élément de protection en TPU + DNX System
DOUBLURE - Spyder-Net
SEMELLE - REBOUND bicomposant PU/TPU
EMBOUIT - Alu200
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022 + DGUV 112-191
SEMELLES DE PROPRETÉ - B-01
POINTURES - 36-48



EMPEINE - Piel flor Supremoil + BOA® Fit System + elemento de protección en TPU + DNX System
FORRO - Spyder-Net
SUELA - REBOUND doble componentes PU/TPU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO STRONG
ESTÁNDAR - EN ISO 20345:2022 + DGUV 112-191
PLANTILLA - B-01
TALLAS - 36-48



OBERMATERIAL - Wasserabweisendes Supremoil Leder + TPU-Schutzelemente + DNX System
INNENFUTTER - Spyder-Net
SOHLE - REBOUND bicomposant PU/TPU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022 + DGUV 112-191
EINLEGESOHLE - B-01
GRÖßEN - 36-48

MIKADO CHB 150

317R-018 S3S SC CI FO SR ESD



TOMAIA - Pelle fiore Supremoil + elemento di protezione in TPU + DNX System
FODERA - Spyder-Net
SUOLA - REBOUND bicomponente PU/TPU
PUNTALE - Alu200
ANTIPERFORAZIONE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022 + DGVU 112-191
SOLETTO - B-01
TAGLIE - 36-48



UPPER - Supremoil leather + TPU protective element + DNX System
LINING - Spyder-Net
SOLE - REBOUND bicomponent PU/TPU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022 + DGVU 112-191
INSOLE - B-01
SIZE - 36-48



TIGE - Cuir pleine fleur Supremoil + élément de protection en TPU + DNX System
DOUBLURE - Spyder-Net
SEMELLE - REBOUND bicomposant PU/TPU
EMBOUT - Alu200
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022 + DGVU 112-191
SEMELLES DE PROPRETÉ - B-01
POINTURES - 36-48




EMPEINE - Piel flor Supremoil + BOA® Fit System + elemento de protección en TPU + DNX System
FORRO - Spyder-Net
SUELA - REBOUND doble componentes PU/TPU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO STRONG
ESTÁNDAR - EN ISO 20345:2022 + DGVU 112-191
PLANTILLA - B-01
TALLAS - 36-48



OBERMATERIAL - Wasserabweisendes Supremoil Leder + TPU-Schutzelemente + DNX System
INNENFUTTER - Spyder-Net
SOHLE - REBOUND bicomposant PU/TPU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022 + DGVU 112-191
EINLEGESOHLE - B-01
GRÖßEN - 36-48

REBEL

997J-010 S3S SC FO SR ESD



TOMAIA - Pelle fiore Supremoil + X-Leather
FODERA - Spyder-Net
SUOLA - HYBRID bidensità PU/PU
PUNTALE - Compo200
ANTIPERFORAZIONE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
SOLETTO - T-01
TAGLIE - 38-48



UPPER - Supremoil leather + X-Leather
LINING - Spyder-Net
SOLE - HYBRID dual density PU/PU
TOECAP - Compo200
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
INSOLE - T-01
SIZE - 38-48



TIGE - Cuir pleine fleur Supremoil + X-Leather
DOUBLURE - Spyder-Net
SEMELLE - HYBRID bi-densité PU/PU
EMBOUT - Compo200
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022
SEMELLES DE PROPRETÉ - T-01
POINTURES - 38-48



EMPEINE - Cuero flor Supremoil + X-Leather
FORRO - Spyder-Net
SUELA - HYBRID bidensidad PU/PU
PUNTERA - Compo200
ANTIPERFORACIÓN - TX ZERO STRONG
ESTÁNDAR - EN ISO 20345:2022
PLANTILLA - T-01
TALLAS - 38-48



OBERMATERIAL - Wasserabweisendes Supremoil Leder + X-Leather
INNENFUTTER - Spyder-Net
SOHLE - HYBRID Zweikomponenten PU/PU
SCHUTZKAPPE - Compo200
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022
EINLEGESOHLE - T-01
GRÖßEN - 38-48

INTENSE

996J-010 S3S SC FO SR ESD



TOMAIA - Pelle fiore Supremoil + X-Leather
FODERA - Spyder-Net
SUOLA - HYBRID bidensità PU/PU
PUNTALE - Compo200
ANTIPERFORAZIONE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
SOLETTO - T-01
TAGLIE - 38-48



UPPER - Supremoil leather + X-Leather
LINING - Spyder-Net
SOLE - HYBRID dual density PU/PU
TOECAP - Compo200
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
INSOLE - T-01
SIZE - 38-48



TIGE - Cuir pleine fleur Supremoil + X-Leather
DOUBLURE - Spyder-Net
SEMELLE - HYBRID bi-densité PU/PU
EMBOUT - Compo200
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022
SEMELLES DE PROPRETÉ - T-01
POINTURES - 38-48



EMPEINE - Cuero flor Supremoil + X-Leather
FORRO - Spyder-Net
SUELA - HYBRID bidensidad PU/PU
PUNTERA - Compo200
ANTIPERFORACIÓN - TX ZERO STRONG
ESTÁNDAR - EN ISO 20345:2022
PLANTILLA - T-01
TALLAS - 38-48



OBERMATERIAL - Wasserabweisendes Supremoil Leder + X-Leather
INNENFUTTER - Spyder-Net
SOHLE - HYBRID
Zweikomponenten PU/PU
SCHUTZKAPPE - Compo200
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022
EINLEGESOHLE - T-01
GRÖßEN - 38-48

SUPREME

997J-011 S3S SC FO SR



TOMAIA - Pelle fiore Supremoil + X-Leather
FODERA - Spyder-Net
SUOLA - HYBRID bidensità PU/PU
PUNTALE - Compo200
ANTIPERFORAZIONE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
SOLETTO - T-01
TAGLIE - 38-48



UPPER - Supremoil leather + X-Leather
LINING - Spyder-Net
SOLE - HYBRID dual density PU/PU
TOECAP - Compo200
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
INSOLE - T-01
SIZE - 38-48



TIGE - Cuir pleine fleur Supremoil + X-Leather
DOUBLURE - Spyder-Net
SEMELLE - HYBRID bi-densité PU/PU
EMBOUT - Compo200
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022
SEMELLES DE PROPRETÉ - T-01
POINTURES - 38-48




EMPEINE - Cuero flor Supremoil + X-Leather
FORRO - Spyder-Net
SUELA - HYBRID bidensidad PU/PU
PUNTERA - Compo200
ANTIPERFORACIÓN - TX ZERO STRONG
ESTÁNDAR - EN ISO 20345:2022
PLANTILLA - T-01
TALLAS - 38-48



OBERMATERIAL - Wasserabweisendes Supremoil Leder + X-Leather
INNENFUTTER - Spyder-Net
SOHLE - HYBRID
Zweikomponenten PU/PU
SCHUTZKAPPE - Compo200
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022
EINLEGESOHLE - T-01
GRÖßEN - 38-48

MAGNETIC

996J-011 S3S SC FO SR



TOMAIA - Pelle fiore Supremoil + X-Leather
FODERA - Spyder-Net
SUOLA - HYBRID bidensità PU/PU
PUNTALE - Compo200
ANTIPERFORAZIONE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
SOLETTA - T-01
TAGLIE - 38-48



UPPER - Supremoil leather + X-Leather
LINING - Spyder-Net
SOLE - HYBRID dual density PU/PU
TOECAP - Compo200
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
INSOLE - T-01
SIZE - 38-48



TIGE - Cuir pleine fleur Supremoil + X-Leather
DOUBLURE - Spyder-Net
SEMELLE - HYBRID bi-densité PU/PU
EMBOUT - Compo200
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022
SEMELLES DE PROPRETÉ - T-01
POINTURES - 38-48



EMPEINE - Cuero flor Supremoil + X-Leather
FORRO - Spyder-Net
SUELA - HYBRID bidensidad PU/PU
PUNTERA - Compo200
ANTIPERFORACIÓN - TX ZERO STRONG
ESTÁNDAR - EN ISO 20345:2022
PLANTILLA - T-01
TALLAS - 38-48



OBERMATERIAL - Wasserabweisendes Supremoil Leder + X-Leather
INNENFUTTER - Spyder-Net
SOHLE - HYBRID
SCHUTZKAPPE - Compo200
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022
EINLEGESOHLE - T-01
GRÖßEN - 38-48

RADICAL ORANGE

269U-010 S3S FO SR



TOMAIA - Tessuto tecnico traspirante anti-abrasione + X-Leather
FODERA - Spyder-Net
SUOLA - TYRE bicomponente PU/TPU
PUNTALE - Alu200
ANTIPERFORAZIONE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
SOLETTA - B-01
TAGLIE - 35-49



UPPER - Breathable antiabrasion technical fabric + X-Leather
LINING - Spyder-Net
SOLE - TYRE bicomponent PU/TPU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
INSOLE - B-01
SIZE - 35-49



TIGE - Tissu technique respirant anti-abrasion + X-Leather
DOUBLURE - Spyder-Net
SEMELLE - TYRE bi-composant PU/TPU
EMBOUT - Alu200
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022
SEMELLES DE PROPRETÉ - B-01
POINTURES - 35-49



EMPEINE - Tejido técnico transpirable antiabrasión + X-Leather
FORRO - Spyder-Net
SUELA - TYRE doble componentes PU/TPU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO STRONG
ESTÁNDAR - EN ISO 20345:2022
PLANTILLA - B-01
TALLAS - 35-49



OBERMATERIAL - Atmungsaktives abriebfestes Gewebe + X-Leather
INNENFUTTER - Spyder-Net
SOHLE - TYRE Zweikomponenten PU/TPU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022
EINLEGESOHLE - B-01
GRÖßEN - 35-49

PYTHON

269U-003 S3S FO SR



UPPER - Breathable antiabrasion technical fabric + X-Leather
LINING - Spyder-Net
SOLE - TYRE bicomponent PU/TPU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
INSOLE - B-01
SIZE - 35-49

TIGE - Tissu technique respirant anti-abrasion + X-Leather
DOUBLURE - Spyder-Net
SEMELLE - TYRE bi-composant PU/TPU
EMBOUIT - Alu200
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022
SEMELLES DE PROPRETÉ - B-01
POINTURES - 35-49

EMPEINE - Tejido técnico transpirable antiabrasión + X-Leather
FORRO - Spyder-Net
SUELA - TYRE doble componentes PU/TPU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO STRONG
ESTÁNDAR - EN ISO 20345:2022
PLANTILLA - B-01
TALLAS - 35-49

TOMAIA - Tessuto tecnico traspirante anti-abrasione + X-Leather
FODERA - Spyder-Net
SUOLA - TYRE bicomponente PU/TPU
PUNTALE - Alu200
ANTIPERFORAZIONE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
SOLETTO - B-01
TAGLIE - 35-49

OBERMATERIAL - Atmungsaktives abriebfestes Gewebe + X-Leather
INNENFUTTER - Spyder-Net
SOHLE - TYRE Zweikomponenten PU/TPU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022
EINLEGESOHLE - B-01
GRÖßEN - 35-49

BLACK MAMBAS

269U-005 S3S FO SR ESD



UPPER - PU Tek + X-Leather
LINING - Spyder-Net
SOLE - TYRE bicomponent PU/TPU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
INSOLE - B-01
SIZE - 35-49

TIGE - PU Tek + X-Leather
DOUBLURE - Spyder-Net
SEMELLE - TYRE bi-composant PU/TPU
EMBOUIT - Alu200
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022
SEMELLES DE PROPRETÉ - B-01
POINTURES - 35-49

EMPEINE - PU Tek + X-Leather
FORRO - Spyder-Net
SUELA - TYRE doble componentes PU/TPU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO STRONG
ESTÁNDAR - EN ISO 20345:2022
PLANTILLA - B-01
TALLAS - 35-49

TOMAIA - PU Tek + X-Leather
FODERA - Spyder-Net
SUOLA - TYRE bicomponente PU/TPU
PUNTALE - Alu200
ANTIPERFORAZIONE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
SOLETTO - B-01
TAGLIE - 35-49

OBERMATERIAL - PU Tek + X-Leather
INNENFUTTER - Spyder-Net
SOHLE - TYRE Zweikomponenten PU/TPU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022
EINLEGESOHLE - B-01
GRÖßEN - 35-49

INDIAN COBRA

269U-009 SIPSFO SR



UPPER - Breathable fabric + X-Leather + BOA® Fit System
LINING - Spyder-Net
SOLE - TYRE bicomponent PU/TPU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
INSOLE - B-01
SIZE - 35-49



TIGE - Tissu respirant + X-Leather + BOA® Fit System
DOUBLURE - Spyder-Net
SEMELLE - TYRE bi-composant PU/TPU
EMBOUIT - Alu200
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022
SEMELLES DE PROPRETÉ - B-01
POINTURES - 35-49




EMPEINE - Tejido transpirable + X-Leather + BOA® Fit System
FORRO - Spyder-Net
SUELA - TYRE doble componentes PU/TPU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO STRONG
ESTÁNDAR - EN ISO 20345:2022
PLANTILLA - B-01
TALLAS - 35-49



OBERMATERIAL - Atmungsaktives Gewebe + X-Leather + BOA® Fit System
INNENFUTTER - Spyder-Net
SOHLE - TYRE Zweikomponenten PU/TPU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022
EINLEGESOHLE - B-01
GRÖßEN - 35-49

MUSTANG

247U-002 S3 SRC



UPPER - PU Tek
LINING - Spyder-Net
SOLE - TYRE dual density PU/PU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO
STANDARD - EN ISO 20345:2011
INSOLE - T-01
SIZE - 35-48



TIGE - PU Tek
DOUBLURE - Spyder-Net
SEMELLE - TYRE bi-densité PU/PU
EMBOUIT - Alu200
ANTIPERFORATION - TX ZERO
NORME - EN ISO 20345:2011
SEMELLES DE PROPRETÉ - T-01
POINTURES - 35-48



EMPEINE - PU Tek
FORRO - Spyder-Net
SUELA - TYRE bidensidad PU/PU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO
ESTÁNDAR - EN ISO 20345:2011
PLANTILLA - T-01
TALLAS - 35-48



OBERMATERIAL - PU Tek
INNENFUTTER - Spyder-Net
SOHLE - TYRE Zweikomponenten PU/PU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO
NORM - EN ISO 20345:2011
EINLEGESOHLE - T-01
GRÖßEN - 35-48



TOMAIA - PU Tek
FODERA - Spyder-Net
SUOLA - TYRE bidensità PU/PU
PUNTALE - Alu200
ANTIPERFORAZIONE - TX ZERO
STANDARD - EN ISO 20345:2011
SOLETTO - T-01
TAGLIE - 35-48



UPPER - PU Tek
LINING - Spyder-Net
SOLE - TYRE dual density PU/PU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO
STANDARD - EN ISO 20345:2011
INSOLE - T-01
SIZE - 35-48



TIGE - PU Tek
DOUBLURE - Spyder-Net
SEMELLE - TYRE bi-densité PU/PU
EMBOUT - Alu200
ANTIPERFORATION - TX ZERO
NORME - EN ISO 20345:2011
SEMELLES DE PROPRETÉ - T-01
POINTURES - 35-48



EMPEINE - PU Tek
FORRO - Spyder-Net
SUELA - TYRE bidensidad PU/PU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO
ESTÁNDAR - EN ISO 20345:2011
PLANTILLA - T-01
TALLAS - 35-48



OBERMATERIAL - PU Tek
INNENFUTTER - Spyder-Net
SOHLE - TYRE Zweikomponenten PU/PU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO
NORM - EN ISO 20345:2011
EINLEGESOHLE - T-01
GRÖßEN - 35-48

AVENTADOR

245U-001 S3 SRC



TOMAIA - Pelle nabuk Supremoil
FODERA - Spyder-Net
SUOLA - TYRE bidensità PU/PU
PUNTALE - Alu200
ANTIPERFORAZIONE - TX ZERO
STANDARD - EN ISO 20345:2011
SOLETTO - T-01
TAGLIE - 35-48



UPPER - Supremoil nubuck leather
LINING - Spyder-Net
SOLE - TYRE dual density PU/PU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO
STANDARD - EN ISO 20345:2011
INSOLE - T-01
SIZE - 35-48



TIGE - Cuir nubuck Supremoil
DOUBLURE - Spyder-Net
SEMELLE - TYRE bi-densité PU/PU
EMBOUT - Alu200
ANTIPERFORATION - TX ZERO
NORME - EN ISO 20345:2011
SEMELLES DE PROPRETÉ - T-01
POINTURES - 35-48




EMPEINE - Cuero nubuck Supremoil
FORRO - Spyder-Net
SUELA - TYRE bidensidad PU/PU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO
ESTÁNDAR - EN ISO 20345:2011
PLANTILLA - T-01
TALLAS - 35-48



OBERMATERIAL - Supremoil-Nubukleder
INNENFUTTER - Spyder-Net
SOHLE - TYRE Zweikomponenten PU/PU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO
NORM - EN ISO 20345:2011
EINLEGESOHLE - T-01
GRÖßEN - 35-48

LEVANTE

244U-001 S3 SRC



TOMAIA - Pelle nabuk Supremoil
FODERA - Spyder-Net
SUOLA - TYRE bidensità PU/PU
PUNTALE - Alu200
ANTIPERFORAZIONE - TX ZERO
STANDARD - EN ISO 20345:2011
SOLETTO - T-01
TAGLIE - 35-48



UPPER - Supremoil nubuck leather
LINING - Spyder-Net
SOLE - TYRE dual density PU/PU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO
STANDARD - EN ISO 20345:2011
INSOLE - T-01
SIZE - 35-48



TIGE - Cuir nubuck Supremoil
DOUBLURE - Spyder-Net
SEMELLE - TYRE bi-densité PU/PU
EMBOUT - Alu200
ANTIPERFORATION - TX ZERO
NORME - EN ISO 20345:2011
SEMELLES DE PROPRETÉ - T-01
POINTURES - 35-48



EMPEINE - Cuero nubuck Supremoil
FORRO - Spyder-Net
SUELA - TYRE bidensidad PU/PU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO
ESTÁNDAR - EN ISO 20345:2011
PLANTILLA - T-01
TALLAS - 35-48



OBERMATERIAL - Supremoil-Nubukleder
INNENFUTTER - Spyder-Net
SOHLE - TYRE Zweikomponenten PU/PU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO
NORM - EN ISO 20345:2011
EINLEGESOHLE - T-01
GRÖßEN - 35-48

CAMARO

244U-004 S1P SRC



TOMAIA - Pelle scamosciata Velourtech + tessuto traspirante
FODERA - Spyder-Net
SUOLA - TYRE bidensità PU/PU
PUNTALE - Alu200
ANTIPERFORAZIONE - TX ZERO
STANDARD - EN ISO 20345:2011
SOLETTO - T-01
TAGLIE - 35-48



UPPER - Velourtech suede leather + breathable fabric
LINING - Spyder-Net
SOLE - TYRE dual density PU/PU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO
STANDARD - EN ISO 20345:2011
INSOLE - T-01
SIZE - 35-48




TIGE - Velourtech cuir suédé + tissu respirant
DOUBLURE - Spyder-Net
SEMELLE - TYRE bi-densité PU/PU
EMBOUT - Alu200
ANTIPERFORATION - TX ZERO
NORME - EN ISO 20345:2011
SEMELLES DE PROPRETÉ - T-01
POINTURES - 35-48



EMPEINE - Cuero gamuza Velourtech + tejido transpirable
FORRO - Spyder-Net
SUELA - TYRE bidensidad PU/PU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO
ESTÁNDAR - EN ISO 20345:2011
PLANTILLA - T-01
TALLAS - 35-48



OBERMATERIAL - Velourtech-Veloursleder + atmungsaktives Gewebe
INNENFUTTER - Spyder-Net
SOHLE - TYRE Zweikomponenten PU/PU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO
NORM - EN ISO 20345:2011
EINLEGESOHLE - T-01
GRÖßEN - 35-48



TOMAIA - Tessuto traspirante + pelle scamosciata Velourtech
FODERA - Spyder-Net
SUOLA - TYRE bidensità PU/PU
PUNTALE - PZ88
ANTIPERFORAZIONE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
SOLETTO - T-01
TAGLIE - 35-47



UPPER - Breathable fabric + Velourtech suede leather
LINING - Spyder-Net
SOLE - TYRE dual density PU/PU
TOECAP - PZ88
ANTI-PUNCTURE - TX ZERO STRONG
STANDARD - EN ISO 20345:2022
INSOLE - T-01
SIZE - 35-47



TIGE - Tissu respirant + Velourtech cuir suédé
DOUBLURE - Spyder-Net
SEMELLE - TYRE bi-densité PU/PU
EMBOUT - PZ88
ANTIPERFORATION - TX ZERO STRONG
NORME - EN ISO 20345:2022
SEMELLES DE PROPRETÉ - T-01
POINTURES - 35-47




EMPEINE - Tejido transpirable + cuero gamuza Velourtech
FORRO - Spyder-Net
SUELA - TYRE bidensidad PU/PU
PUNTERA - PZ88
ANTIPERFORACIÓN - TX ZERO
ESTÁNDAR - EN ISO 20345:2011 + DGUV 112-191
PLANTILLA - T-01
TALLAS - 35-47



OBERMATERIAL - Atmungsaktives Gewebe + Velourtech-Veloursleder
INNENFUTTER - Spyder-Net
SOHLE - TYRE Zweikomponenten PU/PU
SCHUTZKAPPE - PZ88
DURCHTRITTSCHUTZ - TX ZERO STRONG
NORM - EN ISO 20345:2022
EINLEGESOHLE - T-01
GRÖßEN - 35-47

SUMATRA

269U-007 S3S FO SR ESD



TOMAIA - PU Tek green + BOA® Fit System
FODERA - Spyder-Net Green
SUOLA - TYRE bicomponente PU/TPU
PUNTALE - Alu200
ANTIPERFORAZIONE - TX ZERO STRONG green
STANDARD - EN ISO 20345:2022
SOLETTO - B-01
TAGLIE - 35-49



UPPER - PU Tek green + BOA® Fit System
LINING - Spyder-Net Green
SOLE - TYRE bicomponent PU/TPU
TOECAP - Alu200
ANTI-PUNCTURE - TX ZERO STRONG green
STANDARD - EN ISO 20345:2022
INSOLE - B-01
SIZE - 35-49



TIGE - PU Tek green + BOA® Fit System
DOUBLURE - Spyder-Net Green
SEMELLE - TYRE bi-composant PU/TPU
EMBOUT - Alu200
ANTIPERFORATION - TX ZERO STRONG green
NORME - EN ISO 20345:2022
SEMELLES DE PROPRETÉ - B-01
POINTURES - 35-49



EMPEINE - PU Tek green + BOA® Fit System
FORRO - Spyder-Net Green
SUELA - TYRE doble componentes PU/TPU
PUNTERA - Alu200
ANTIPERFORACIÓN - TX ZERO STRONG green
ESTÁNDAR - EN ISO 20345:2022
PLANTILLA - B-01
TALLAS - 37-48



OBERMATERIAL - PU Tek green + BOA® Fit System
INNENFUTTER - Spyder-Net Green
SOHLE - TYRE Zweikomponenten PU/TPU
SCHUTZKAPPE - Alu200
DURCHTRITTSCHUTZ - TX ZERO STRONG green
NORM - EN ISO 20345:2022
EINLEGESOHLE - B-01
GRÖßEN - 35-49

JACKSON ORANGE

981S-010 S3 SRC



UPPER - Supremoil leather
LINING - Spyder-Net
SOLE - SOLID dual density PU/PU
TOECAP - Compo200
ANTI-PUNCTURE - TX ZERO
STANDARD - EN ISO 20345:2011
INSOLE - S-02
SIZE - 36-48




TIGE - Cuir pleine fleur Supremoil
DOUBLURE - Spyder-Net
SEMELLE - SOLID bi-densité
 PU/PU
EMBOUT - Compo200
ANTIPERFORATION - TX ZERO
NORME - EN ISO 20345:2011
SEMELLES DE PROPRETÉ - S-02
POINTURES - 36-48



EMPEINE - Cuero flor Supremoil
FORRO - Spyder-Net
SUELA - SOLID bidensidad PU/PU
PUNTERA - Compo200
ANTIPERFORACIÓN - TX ZERO
ESTÁNDAR - EN ISO 20345:2011
PLANTILLA - S-02
TALLAS - 36-48



OBERMATERIAL -
 Wasserabweisendes Supremoil
 Leder
INNENFUTTER - Spyder-Net
SOHLE - SOLID
 Zweikomponenten PU/PU
SCHUTZKAPPE - Compo200
DURCHTRITTSCHUTZ - TX ZERO
NORM - EN ISO 20345:2011
EINLEGESOHLE - S-02
GRÖßEN - 36-48



SHELBY ORANGE

980S-010 S3 SRC



UPPER - Supremoil leather
LINING - Spyder-Net
SOLE - SOLID dual density PU/PU
TOECAP - Compo200
ANTI-PUNCTURE - TX ZERO
STANDARD - EN ISO 20345:2011
INSOLE - S-02
SIZE - 36-48



TIGE - Cuir pleine fleur Supremoil
DOUBLURE - Spyder-Net
SEMELLE - SOLID bi-densité
 PU/PU
EMBOUT - Compo200
ANTIPERFORATION - TX ZERO
NORME - EN ISO 20345:2011
SEMELLES DE PROPRETÉ - S-02
POINTURES - 36-48



EMPEINE - Cuero flor Supremoil
FORRO - Spyder-Net
SUELA - SOLID bidensidad PU/PU
PUNTERA - Compo200
ANTIPERFORACIÓN - TX ZERO
ESTÁNDAR - EN ISO 20345:2011
PLANTILLA - S-02
TALLAS - 36-48



OBERMATERIAL -
 Wasserabweisendes Supremoil
 Leder
INNENFUTTER - Spyder-Net
SOHLE - SOLID
 Zweikomponenten PU/PU
SCHUTZKAPPE - Compo200
DURCHTRITTSCHUTZ - TX ZERO
NORM - EN ISO 20345:2011
EINLEGESOHLE - S-02
GRÖßEN - 36-48



TOMAIA - Pelle fiore Supremoil
FODERA - Spyder-Net
SUOLA - SOLID bidensità PU/PU
PUNTALE - Compo200
ANTIPERFORAZIONE - TX ZERO
STANDARD - EN ISO 20345:2011
SOLETTO - S-02
TAGLIE - 36-48

PEZZOL
BEYOND THE EDGE



PEZZOL INDUSTRIES SRL - Via Trani 107 - 76121 Barletta (BT) ITALY
T: +39 0883 34 91 04 - E: customer-care@pezzol.com